



1		Posh					
		1060605	ø50x4,5 6) ,	24B,	1,2 ,	SL 6/350, SL 12/350, CD 17,	23,28
		1060605	ø50x4,5 6) ,	2000		-	23,28
		Posh Set 3					
		2175705	ø50x4,5 6) ,	3	: 3,6 , 24B 2000 , 3		73,69
2175705	ø50x4,5 6) ,	4	1800		73,69		
2		Slide					
		1060705	46 46x4,5, (6) ,	24B,	1,2 ,	SL 6/350, SL 12/350, CD 17,	23,28
		1060705	46 46x4,5, (6) ,	2000		-	23,28
		Slide Set 3					
		2175505	46 46x4,5, (6) ,	3	: 3,6 , 24B 2000 , 3		91,02
2175505	46 46x4,5 (6) ,	4	1800		91,02		
3		Shine					
		1060810	ø40x10, , ,	24B	1,2 ,	SL 6/350, SL 12/350, CD 17,	23,28
		1060810	ø40x10, , ,	2000		-	23,28
		Shine Set 3					
		2175810	ø40x10, , ,	3	: 3,6 , 24B 2000 , 3		91,02
2175810B	ø40x10, , ,	4	1800		91,02		
4		Glam					
		1060910	37 37x10, , ,	24B	1,2 ,	SL 6/350, SL 12/350, CD 17,	23,29
		1060910	37 37x10, , ,	2000		-	23,29
		Glam Set 3					
		2175610	37 37x10, , ,	3	: 3,6 , 24B 2000 , 3		91,02
2175610	37 37x10, , ,	4	1800		91,02		
5		Dream	(7)				
		1074110	70 70x10	C 12B	1,2 ,	SL 6/12 Flat 15/12, Slim 15/12, SL30/12	74,24
		1074110	70 70x10	2000 ,	MiniPlug		74,24
6		Dream RGB					
1074010	70x70x10 RGB-	4 , 12 ,	2000 , Mini-Plug	RGB,	SL 6/12 Flat 15/12, Slim 15/12, SL30/12	95,59	



7		Forma BA V12					
		1096409	ø26/65x391,	12 , 2000 ,	1,2 , Mini-Plug	SL 6/12 Flat 15/12, Slim 15/12, SL30/12	53,90
8		Modus 1					
		1058705	300 25 10,		1,2 c 1 , 24	SL 6/350, SL 12/350, CD 17,	58,37
		Modus 2					
		1058805	450 25 10,		2,4 2 , 24		66,65
		Modus 3					
		1058905	600 25 10,		3,6 3 , 24		82,66
Modus 4							
1059005	900 25 10,		4,8 4 , 24	104,33			
8		Switch IFR					
		1059105	110 25 10,		Modus, 1	Modus	58,79
		Switch TT					
		1059105	150 25 10,		Touch Tronic Modus		53,68
		Switch IR					
1060005	150 25 10,		Modus 10 ()	98,95			
1133910	2000 2,		2000 Modus,	11,93			
9		Mymodus TLD					
		1064005	410x25x10 2x1,5			SL 6/12, Flat 15/12, Slim 15/12, SL30/12	74,11
		1064105-02	560x25x10 3x1,5		12B, TouchLed		96,38
		1064205-02	860x25x10 4x1,5		2000 Miniplug		113,99
		1064305	1160x25x10 5x1,5				141,31
1064405	1460x25x10 6x1,5			161,46			
10		Mymodus IFR**					
		1064505	410x25x10 3		12B, IFR	SL 6/12, Flat 15/12, Slim 15/12, SL30/12	106,54
		1064605	560x25x10 4,5	3 ,	36		128,89
		1064705	660x25x10 6		15 ,		146,42
		1064805	1160x25x10 7,5		2000 , Miniplug		173,60
1064905	1460x25x10 9			194,17			
11		Mymodus IRL**					
		1065005	410x25x10 3		12B, IRL	SL 6/12, Flat 15/12, Slim 15/12, SL30/12	79,07
		1065105	560x25x10 4,5		15 ,		101,57
		1065205	660x25x10 6		2000 , Miniplug		118,96
		1065305	1160x25x10 7,5				146,42
1065405	1460x25x10 9			166,70			





12	 	Metris	ø60/68 9,2 (8)				
		1067610		24 , 2000 ,	1,7 Miniplug	SL15/24, Flat 15/24, SL30/24	16,28
		1067610					16,28
		1067609					16,28
		1067609B					16,28
13		Metris Set 3	ø60/68 9,2 (8)				
		2178010		3	: 3 3 1,7 , 24B, 2000		69,02
		2178010					69,02
		2178009			4 , 1800		69,02
		2178009					69,02
14	 	Metris V12	ø60/68 9,2 (8)				
		1088010N		12 , 2000 ,	1,6 , Mini lug	SL 6/12 Flat 15/12, Slim 15/12, SL30/12	15,46
		1088009N					15,46
		1088010					15,46
		1088009					15,46
		1088018					17,11
		Metris V12 Set 3	ø60/68 9,2 (8)				
		2187410N		3	: 3 3 1,6 , 12B, 2000		56,86
		2187409N					56,86
		2187410			4 , 1800		56,86
		2187409					56,86
2187418					60,86		
15	 	Metris SP V12	ø70,5 12 (8)				
		1087910N		12 , 2000 ,	1,6 , Mini lug	SL 6/12 Flat 15/12, Slim 15/12, SL30/12	16,42
		1087909N					16,42
		1087910					16,42
		1087909					16,42
		1087918					18,08
		Metris SP V12 Set 3	ø70,5 12 (8)				
		2187510N		3	: 3 3 1,6 , 12B, 2000		60,31
		2187509N					60,31
		2187510			4 , 1800		60,31
		2187509					60,31
2187518					64,72		
16	 	Metris OB V12	ø70,5 12 (8)				
		1087810N		12 , 2000 ,	1,6 , Mini lug	SL 6/12 Flat 15/12, Slim 15/12, SL30/12	16,70
		1087809N					16,70
		1087810					16,70
		1087809					16,70
		1087818					18,35
		Metris OB V12 Set 3	ø70,5 12 (8)				
		2187610N		3	: 3 3 1,6 , 12B, 2000		61,55
		2187609N					61,55
		2187610			4 , 1800		61,55
		2187609					61,55
2187618					65,96		





17	 	Pixel	ø35/30 15, (13)	24 , 1,2 2000 Bus	SL 6/350, SL 12/350, CD 17,	
		1067128				30,02
		1067109				30,02
		1067118				35,60
		1067118B				35,60
		Pixel Set 3	ø35/30 15, (13)	3 : 3 3,6 , 24B, 2000 4 1800		
		2177528				105,29
		2177509				105,29
		2177518				126,68
		2177518				126,68
18	 	Pixel SP	ø35 21,	24 , 1,2 2000 Bus	SL 6/350, SL 12/350, CD 17,	
		1067228				38,94
		1067209				38,94
		1067218				44,37
		1067218B				44,37
		Pixel SP Set 3	ø35 21,	3 : 3,6 , 24B 3 2000 4 1800		
		2177628				111,23
		2177609				111,23
		2177618				132,89
		2177618B				132,89
19	 	Pixel OB	ø35 71/29,	24 , 1,2 2000 Bus	SL 6/350, SL 12/350, CD 17,	
		1067328				38,94
		1067309				38,94
		1067318				40,30
		1067318B				44,37
		Pixel OB Set 3	ø35 71/29,	3 : 3,6 , 24B 3 2000 4 1800		
		2177728				118,27
		2177709				118,27
		2177718				140,07
		2177718B				140,07
20	 	Net	35x35 15 (16)	24 , 1,2 2000	SL 6/350, SL 12/350, CD 17,	
		1067410				36,02
		Net Set 3				
2170110	35x35 15 (16)	3 3 4 1800		125,86		



21	 	Net SP						
		1057210	35x35 21	24	1,2	SL 6/350, SL 12/350, CD 17,	38,92	
		Net SP Set 3						
		2170310	35x35 21	3 3 4	: 3,6 , 24B 2000 1800	-	137,72	
22	 	Toukan						
		1078021	410x23x14 1,9		12	SL 6/12, Slim15/12, SL30/12, Flat 15/12,	30,77	
		1078121	560x23x14 2,6		12B	-	39,33	
		1078221	860x23x14 4		2000 Mini lug	-	56,03	
		1078321	1160x23x14 5,52			-	72,17	
23	 	Skyline 18 TLD						
		1079005	413 23 18,5 1,68		12	SL 6/12, Slim15/12, SL30/12, Flat 15/12	78,80	
		1079105	563 23 18,5 2,4		TouchLed	-	88,18	
		1079205	863 23 18,5 3,84		2000 Miniplug	-	105,57	
		1079305	1163 23 18,5 5,28			-	123,51	
24	 	FlexyLed CR						
		1073901/25	250 8 4 1,2			SL 6/12, Slim15/12, SL30/12, Flat 15/12,	10,63	
		1073901B/25	250 8 4 1,2			-	10,63	
		1073901/50	500 8 4 2,4			-	18,09	
		1073901B/50	500 8 4 2,4			-	18,09	
		1073901/100	1000 8 4 4,8			12B,	46,70	
		1073901 /100	1000 8 4 4,8	(50)	3- IP44,	6	33,69	
		1073901/200	2000 8 4 9,6				61,03	
		1073901 /200	2000 8 4 9,6				61,03	
		1068901/300M	3000 8 4 14,4 2000				SL 6/12, Slim15/12, SL30/12, Flat 15/12,	111,78
		1069301 /300	3000 8 4 14,4 2000				-	111,78
		1084701	50x50x8x4 0,48					6,21
		1084701B	50x50x8x4 0,48			12 , IP44		6,21
		1140701	2000					3,73
		1141200	1000					2,35
		1142201-100	1000					2,35
1142201-50	500					1,52		
1142201-25	250					1,10		



25		Idea 1052000/01	285 10 6,5	1,4 , 12	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12,	26,08
		1127500	2000 16,5 7,5	Idea		4,66
		3025901	2000 16,5 7,5	Idea		22,23
		3028501-300	3000 16,5 7,5	Idea		32,60
		String IFR 1060201/200	2000 16,5 8	8,4 , 12 : 6 Idea, 2000 , c 12 Mini lug,		158,98
		String Limit 2186810	2000 16,5 8	9,6 , 12 : Flexyled, 2000 , c 12 Mini lug,		172,64
28		Diva TLD (11,5 15) ,				
		1065605	376 19 12 1,4			63,62
		1065705	526 19 12 2,16	, 12B,	SL 6/12 Flat 15/12, Slim 15/12, SL30/12	77,69
		1065805	826 19 12 3,6	2000		99,91
		1065905	1126 19 12 5,04	Mini lug		122,96
29		Diva IFR Master				
		1083905/2	376x11x14,5 1,44			89,15
		1084005/2	576x11x14,5 2,16	30 , 2000 Mini lug	Diva, SL 6/12 Flat 15/12, Slim 15/12, SL30/12	100,88
		1084105/2	826x11x14,5 2,16			120,61
		1084205/2	1126x11x14,5 2,16			140,48
30		3177405-300	3000 11 19, 11,5 15	Diva		41,95
		3177320A-300	3000 10 2,	Diva		3,31
		3031010		Diva		0,87
		4005310	, 2	Diva		1,59
		3032101-200	2000x11x3	Diva		7,04
		3032101-300	3000 11x3			10,09
31		TLD V13 1084905	76x11x19 11,5 15			47,06
32		Twig				
		1083105/1	410 16 18 , 1,92			31,88
		1083205/1	560 16 18 , 2,64	, 12B,	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12,	36,85
		1083305/1	860 16 18 , 4,08	2000 , Mini lug		54,23
		1083405/1	1160 16 18 , 5,52			81,70
		Twig TLD Master				
		1083105/2	410 16 18 , 1,68	, 12B, TouchLed		54,44
		1083205/2	560 16 18 , 2,40			56,17
		1083305/2	860 16 18 , 3,84	2000 , Mini lug		72,68
		1083405/2	1160 16 18 , 5,28			98,64



33		Twig IFR Master **							
		1083505/2	410 16 18	1,68	Twig, 2000 Mini lug	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12	71,62		
		1083605/2	560 16 18	2,40		76,73			
		1083705/2	860 16 18	3,84		94,12			
1083808/23	1160 16 18	5,28	121,58						
34		3191605-200	2000 15 18		Twig		20,29		
		3191605-300	3000x15x18				29,12		
		4005110			Twig (2)		2,35		
		3032101-200	2000 11 3		Twig		7,04		
		3032101-300	3000 11 3				10,09		
		4005200			(2)		1,79		
35		TLD V12 1084805	57x15x18				44,57		
36		Brill TLD							
		1075105/ 1080005	562x25x11	2,16	2000 Mini lug	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12	104,05		
		1075205/ 1080105	862x25x11	3,6			121,58		
1075305/ 1080205	1162x25x11	5	145,73						
37		Sunrise 3D IFR 1089105N/3D	150x18x16	3	12B, TouchLed	2000 Miniplug	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12	66,52	
38		Goccia IFR High Definition							
		1088105N-HD	740x78	18 9,6	24B,	SL30/24D, SL50/24D, SL75/24D	174,85		
		1088205N-HD	900x78	18 12,8			191,27		
		1088305N-HD	1060x78	18 15			205,21		
1088405N-HD	1380x78	18 19,8	2000	219,83					
39		Filo 1088605	230x114x55	0,96	2000 Miniplug	12B,	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12	38,50	
40		Filo-Twin 1088705	560 114x55	2,6	2000 Miniplug	12B,	SL 6/12, SL15/12, Flat 15/12, SL 30/12	61,69	
41		Evoslide 1060516	55 200 20,		24,	2000	1,2	SL 6/350, SL 12/350, CD 17,	37,95



42		Leaf TLD High Definition					
		1086205N/HD	410x36x18 5,9	24B,		SL 30/24D,	91,63
		1086305N/HD	560 36 18 7,9	TouchLed		SL 50/24D,	123,92
		1086405N/HD	860 36 18 12,8		2000	SL 75/24D,	173,74
		1086505N/HD	1160 36 18 17,4		Micro24		220,52
43		Leaf High Definition					
		1086205N/1HD	410x36x18 5,9	24B,		SL 30/24D,	75,76
		1086305N/1HD	560 36 18 7,9		2000	SL 50/24D,	108,33
		1086405N/1HD	860 36 18 12,8		Micro24	SL 75/24D,	158,15
		1086505N/1HD	1160 36 18 17,4				207,97
44		Leaf IFR					
		1086605	410x36x18 1,7			SL 6/12,	69,41
		1086705	560 36 18 2,4		12B,	Slim15/12,	74,38
		1086805	860 36 18 3,8	2000	Miniplug	Flat 15/12,	89,29
		1086905	1160 36 18 5,3			SL 30/12	118,96
45		Leaf DR					
		1087005	410x36x18 1,7			SL 6/12,	71,90
		1087105	560 36 18 2,4		12B,	Slim15/12,	76,87
		1087205	860 36 18 3,8	2000	Miniplug	Flat 15/12,	91,91
		1087305	1160 36 18 5,3			SL 30/12	121,30
46		Leaf US					
		1087405	410x36x18 1,7			SL 6/12,	69,41
		1087505	560 36 18 2,4		12B,	Slim15/12,	74,38
		1087605	860 36 18 3,8	2000	Miniplug	Flat 15/12,	89,29
		1087705	1160 36 18 5,3			SL 30/12	118,96
47		Skate 1090119/N1	151x66x54 1,6			SL 6/12,	36,16
		Skate TLD Master 1090119/N2	151x66x54 1,6		12B,	Slim 15/12,	47,33
48		Skate TLD Master Set5					
		2192719N/2	151x66x54 1,6		5	12B,	190,58
		2192719N/2	151x66x54 1,6		2000	Miniplug, SL15/12	190,58



49		Kite 1090419N/1	151x70x64 1,6	2000 , 12B, Miniplug	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12,	36,16	
		Kite TLD Master 1090419N/2	151x70x64 1,6	2000 , 12B, TouchLed Miniplug	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12	47,33	
50		Kite TLD Master Set5 2192819N/2	151x70x64 1,6	2000 , 5 , 12B, TouchLed Miniplug, SL15/12		190,58	
51		Nebula TLD					
		1097005	413x328 21 3,1			123,23	
		1097205	563 328 21 4,6		2- , 12B,	SL 6/12, Slim 15/12, Flat 15/12, SL 30/12	148,21
		1097505	863x328 21 7,5				180,50
		1097705	1163x328 21 10,4			222,87	
52		Narciso TLD Twin					
		2901905-26/1	750x750x55 12,7			463,68	
		2901905-35/1	750x750x55 12,7			463,68	
		2902005-26/1	1200 600x55 15,4			568,56	
		2902005-35/1	1200x600 55 15,4		IP44,	568,56	
		2902105-26/1	600x1700 55 41,3		220	692,76	
		2902105-35/1	600x1700 55 41,3			692,76	






1		SL 6/350	0841601	58 35 20	6 , 24 , Bus, 1800	4	Posh, Slide, Shine, Glam, Dream, Modus, Pixel, Pixel OB, Pixel SP, Net, Net SP, Evoslide, Kross	21,86
2		SL 12/350	0841701	120 45 20	- 10 , 24 , 12 Bus, 1800			27,19
3		CD 17	0834101	123x38x21	- 17 , 24 , 12 Bus, 1800			34,64
4		SL 6/12	0843501	58x35x20	- 6 , 12 , Miniplug, 2000	4	Brill, Diva, Idea, Filo FlexyLed, Clever, Leaf, Metris V12, Metris SP V12, Metris OB V12, Nebula, String, Skate, Kite, SkyLine, Sunrise, Twig, Toucan	17,53
6		Flat 15/12	0843301	120x45x16	- 15 , 12 , 12 Miniplug, 2000			21,11
7		Slim 15/12	0843701	137x40x12	- 15 , 12 , Miniplug, 2000			26,08
8		SL30/12	0839201	151x41x31	- 30 , 12 , 12 Miniplug, 1800			37,51
9		Flat 15/24	0843401	120,5 45 16	15 , 24 , Miniplug, 2000	12	Metris	21,86
10		SL 30/24	0839401	151 41 31	30 , 24 , Mini lug, 1800	12		38,36
11		SL 30/24D	0846501	151 41 31	30 , 24 , Micro, 2000	6	Goccia HD Leaf HD	46,94
12		SL 50/24D	0844101	180 60 30	50 , 24 , Micro, 2000	10		52,85
13		SL 75/24D	0844201	180 60 30	50 , 24 , Micro, 2000	10		52,85
14		SP5	0838601	55x40x10	5 , 12 , 1800	5	Clever	20,29
15		Bus S+3	1132301		(SL 6/350, SL 12/350), 1000	3		3,45
16			1139400	2000 ,	- Mini lug		12	5,46
17			1135703-12	2000 ,	-	BUS		5,46



				()			
1		Pack 450	0439805	413 325 33,5 8	2000	122,68	
		Pack 600	0439905	563 325 33,5 8		20	129,03
		Pack 900	0440605	863 325 33,5 13		30	161,32
		Pack 1200	0440705	1163 325 33,5 21			173,74
2		Ego 600	0417505	600 111 88 8	2000	111,3	
		Ego 900	0417605	900 111 88 13			119,27
		Ego 1200	0417705	1200 111 88 21			133,65
3		Reflex Touch Tronic	2900100	560 31 835	28	235,98	
4		Fall Sensor	2900400	800x800x26	28 (10), 2000	266,20	
5		Onis Touch Tronic	2900600	ø600x59	40	266,20	



				()			
1		Vanity off	0503209	160 160x662	, 100 , 220 , 2000 , Osram		81,70
2		Vanity up	0501609	160 160 182	, 100 , 220 , 1800 , Osram		85,15
3		Vanity	0500409	160 205x42	, 100 , 220 , 1800 , Osram		75,76
4		One off	0502322	81 81x1096	, 40 , 220B, 2000 , Osram		56,72
5		One up	0500922	81 96 81	, 40 , 220 , 1800 , Osram		52,03
6		Link	0502501	50x50x52	, 20 , 12 , Osram	Eco, Kyo,	31,88
7		Base	0502822	50 50 53	, 20 , 12 , Osram	Eco, Kyo,	33,81
8		Duo	0125609	200 188 70	, 40 , 12 , 1800 , 2 20 , Osram	Eco, Kyo,	27,19
9		Picchio Clip	0137009	16 104 70	, 20 , 12 , 1800 , Osram	Eco, Kyo,	22,36
10		Eco 60	0818901	95x32x21	20-60 , 220/12 , 6 , 1800		17,25
11		KYO 105	0824501	123x39x18	35-105 , 220/12 , 6 , 1800		19,60
12			1108201		180		2,88




				()		
1		IFR V 09	0838001	78 35,5 18,5	(1), (10-180) 250 , 220 , 1800 2000 , 500	37,01
2		Simply	0834901	78x35,5x18,5	(10) ,250 , 220 , 1800 2000 , 500	40,01
3		Touch Tronic	2121603B	110x32x21	() ,250 , 220 , 1800 2000 , 500	35,53
4		Tasto	4001609	ø12	, 4	3,59
5		Limit Sensor	0835101	78 35,5 18,5	() 220 (5-40) 250 , 1800 2000 , 500	33,28
6		Limit Sensor	0835109B 0835105B	78 35,5 18,5	() (5-40) 250 , 220 , 1800 2000 , 500	45,22
7		Combo Sensor	0842403	97x56x18,5	12 ,30 , 3-)24 ,60 : - 3- 3- - 3- 2-	60,44
8		Multi Simply Sensor	0838201	97x56x18,5	() , (0-100) 550 , 220 , 500 2000 , 500 3- ()	61,55



				()		
9		Multi Limit Sensor	0838301	97x56x18,5	220 , (5-40) 550 , 2000 , 500 , 3- ()	61,55
10			1731703/S	∅10x17	Combo, Multi Simply, Multi Limit	10,90
11			1731803/S	10x18x6	Multi Simply, Multi Limit, Combo,	10,90
12			1731903/S	31,5x16x6	Simply Multi Limit, 20%, Multi	13,25
13			1732003/S	25x13x6	Combo, Simply, Multi Limit, Multi	10,90
14			1126301	80		2,07
15			1106903	2000		1,93



1		Bridge 0422005	105 182 41 6	2000	220	85,2
3		Prima FC 0442505	456 30,5 48	2000	220	63,5
4		Prima DR 0445605 0445805 0446005 0446205	450x30,5x48 8 560 30,5 48 8 860 30,5 48 14 1160 30,5 48 21	2000	220	65,4 65,4 72,6 84,3
5		Prima US 0446305 0446505 0446705 0446905	450x30,5x48 8 560 30,5 48 8 860 30,5 48 14 1160 30,5 48 21	2000	220	65,4 65,4 72,6 84,3
6		Prima Sensor 0449605 0449705 0449805	560 30,5x48 8 860 30,5x48 14 1160 30,5x48 21	2000	220	90,6 97,8 109,5
7			Solight R 0445001 0445201 0445301 0445401	307 46 21,5 8 568 46 21,5 14 868 46 21,5 21 1168 46 21,5 28	220 2000	220
8		Play IFR 0417805 0417905 0418805 0418005	580 ø30 130 8 860 ø30 130 13 960 ø30 130 13 1300 ø30 130 21	2000	220	131,1 132,9 134,7 139,2
		Play 0407705 0407805	580 ø30 130 8 860 ø30 130 13	2000		84,3 92,4
9		Vertigo 350 0430400	350x25,5 8 (35)	2000	220	54,5
		Vertigo 600 0430500	600x25,5 13 (35)			69,0
10		Evidence 440 0430000	440 60 27 6 (35)	2000	220	72,6
		Evidence 670 0430100	670 60 27 14 (35)			82,5
		Evidence 1050 0430200	1050 60 27 21 (35)			92,4



11		Anthea					
		0428005	450 200 52 8			111,3	
		0428105	600 200 52 14			114,9	
		0428205	900 200 52 21	2000	220	132,9	
		0428305	1200 200 52 28			159,0	
12		Sushi					
		0450005	450 200 33 8			94,2	
		0450105	600 200 33 14			100,5	
		0450205	900 200 33 21			116,7	
		0450305	1200 200 33 28	2000	220	132,9	
0434905	1200 200 33 21			132,9			
13		Mito 0503916	1200 48 31,	35 , 12 2000 , Osram	Eco 60, Kyo 105,	47,40	
14		Kross 1061705	55 55/130 10		1,2 , 24 2000	32,10	
16		Clever 1063203	300 9 2,6	0,96 12 , ()	SP5, SL 6/12, Slim 15/12, Flat 15/12, SL 30/12,	12,3	
		Clever 1063203	300 9 2,6				
			1138303/200	2000 ,			6,9
			1138303/100	1000 ,			4,7
		1138403/100	1000 ,			3,57	
		Clever L 1063303		L-	0,24	7,8	
		Clever T 1063403		-	0,32	12,3	
		Clever X 1063503		X-	0,4	15,9	